


		¥ ¥	44 > >	T X		<u>~</u>		1						1	X D
Warehouse —															_
HG WHSE 1 - Seattle WA			-	Date programmer St	NAH.	CHANGE SCHEDULED STOPS	HED.	ULED	STO	8			Setup	dn	
Schedules) 	' 					l
_	7	ო	4	1.75	Slot Code	epo !	5			**					
From 07:30	09:00	10:30	12:00		206 To				304		_B_E		Total Total %		
S &	γ	8 K	- V	5 W	# [W I	V/S	ا ہہ			, ∢	S	. Ω	Capacity	
	<u> </u>			٦٠٦	2358 7	(7	23	15 [न <u>छ</u>	
				7	ຶ້	Save	200		Cancel			2 5	5	S 2	
	_	-L -L		7.		ةً إ	5	1]	i		3 2		8	_,
					- -	7	<u> </u>	LL		6		52		2 3	
	_ <u> </u> 			7 =	- =	اء 1	7 =	_L_) A		_ _ c	5 8	P 82	3 S	
	<u> </u> -	L		3	إيبا	L	.Ш	<u>.</u> L_I		4	7	9	<u>_</u> L	8	
					L_L	LIL	ᅳᅩ	무	6	2	티.	12		el v	
		_L		4 6		7 2		ᆫ	* -	٦	- =	2 8	29 PS	ole	
		L	L	S		. ـــــــا	ایبا.	اسا	<u>. Ll</u>	2		 =	19	8	
				7	4		5	L	`	L	4	2	20 100	<u>e</u> i	
	_		_ _	7	7		=	L	- 1	L	7	=		وًا فِ	
				2	7	- n	-	. 0	0 -	7	70	9 ~		8 3	
Total 0 0	0	0 0	-	0 258 211 258 179 262 210 263 210 261 173	211 [25	B 179	262 2	10 26	3 210	261		1302	983 75	FI Iğ	
% Capacity 0			L	-	8	88		8	8		88				






FIG. O

下る。ナ

FIG. 8

FIG. 0






Fig. 10









Fig. 13







Fig. 15






Fig. 17